



BORÅSTAPETER

MADE IN SWEDEN SINCE 1905

Product- and Environmental Declaration

Brand: Boråstapeter

Collection: Melodi

Ref. nr 7401-7430

Product

Wallcoverings made of nonwoven with weight between 75 - 190 g/sqm.

Environmental mark

The wallpapers are CE-marked and fullfils the enviremental demands according to product standard SS-EN 15102:2007+A1:2011.

Fullfils the IGI:s trade standards

(IGI = International Wall covering Manufacturers' Association)

<http://www.igiwallcoverings.org/industry-standards/>

The wallcovering fulfils the productdemands of emissions according to M1, AGBB and French A+ for indoor environment.

Emissionstest is made acording to ISO 16000-9

Product contents

All wallcoverings are free from PVC, heavy metals and other environmental harmful substances. All inks are waterbased.

Wallcovering components	Weight-%	CAS-number	Included in	
			Paper/NW	Color layer
Cellulosefibers	35-45		x	
Polyesterfiber	10-20		x	
Styrene acrylate copolymer	3-25		x	x
Vinyl acetate copolymer	0,01-5			
Chalk	0,01-23	1317-65-3	x	x
Kaolin	0,01-20	1332-58-7	x	x
Titanium dioxide	0,01-27	13463-67-7	x	x
Color pigment	<2%			x



BORÅSTAPETER

MADE IN SWEDEN SINCE 1905

The label of the wallcovering declares that the contents is less than the limits determined in the CE-standard for wallpapers. Even if the wallcovering is free from heavy metals it shall be written that it contains less than (<) existing limit.

The label declares what DOP (Declaration Of Performance) that is valid for each ref. Can be found at www.wallvision.se/CE

Fireclass

The wallcovering has a fireclass printed on the label that apply to the product standard and is judged according to EN13501-1. Fireclass of each ref. is shown at the end of this document.

Usage

The wallcovering can be used in all areas except wet areas such as bathrooms etc. Suitable adhesive is a machine adjusted adhesive.

Colour fastness to light

Very good colour fastness to light 6-8. The highest value is 8.

Packaging

The wallcovering rolls are wrapped into a thin recyclable polyethylene film before being packed into a corrugated cardboard carton.

In average 50 gr packaging is being used per kg wallcovering.

The average transport volume (incl. packaging) per kg wallcovering is about 4 dm³.

Boråstapeter is connected to the Swedish REPA-register

The packaging material is partly produced from recycled fibres.

Transport

The wallcoverings are transported via trucks from our central warehouse in Borås, Sweden.

Care instructions

The wallcoverings have high washability. Stains are treated as follows:

- Wet the stain with a cloth or a sponge using soapy water or detergent.
- Use plenty of lukewarm water to get off all soap rests.
- Wipe off the over amount of water and leave the wallcovering to selfdry.
- Avoid to get water in the joints where the wallcovering is unprotected.

Estimated lifetime

Estimated lifetime of the wallcovering is 10-15 years..

Recycling and waste

The wallcovering can be recycled as energy at combustion.

All excess inks are being reused in production.

No wallcovering waste is considered as hazardous waste.

In order to achieve and maintain necessary wallcovering strength and fullfil Boråstapeter's quality standards no recycled material is included in the wallcovering.

Production

When producing wallcovering, only enviremental friendly waterbased colors are being used. In that way We eliminate all kinds of dangerous waste. Wastewater from production is being taken care of at sight in a treatment plant and the mud that remains is burned upp by the Borås energy company.



BORÅSTAPETER

MADE IN SWEDEN SINCE 1905

Certificates and reports

Ref.nr	Report	Match	Fireclass	Classificationreport	Emissionreport
7401	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7402	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7403	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7404	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7405	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7406	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7407	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7408	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7409	53	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7410	53	Half drop	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7411	53	Half drop	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7412	53	Half drop	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7413	53	Half drop	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7414	0	Random	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7415	0	Random	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7415	0	Random	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7416	0	Random	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7417	0	Random	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7418	0	Random	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7419	0	Random	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7420	17,67	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7421	17,67	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7422	17,67	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7423	17,67	Straight	B-s1,d0	13. Decorative wallcovering nonwoven	7P04587-01REV
7424	53	Half drop	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7425	53	Half drop	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7426	53	Half drop	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7427	53	Half drop	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7428	53	Straight	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7429	53	Straight	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV
7430	53	Straight	B-s1,d0	16. Decorative wallcovering nonwoven	8F014052REV